





















Our Martini VFFS range is high quality premium Vertical Form Fill & Seal machine which can be integrated into your production line along with our wide variety of weighing and filling equipment.

- MX 600 Pillow Pack
- MX 600 Quad Pack
- SX 600 Doy Style
- MX 800
- MX 1000 Large Bags
- MX 1200 Bulk Bags
- M05CV Continuous High Speed
- MBM 600 High Speed
- MO5CRS-P Brick Pack










### **MX 600 PILLOW PACK**

Easy to set up, simple to operate economic production





Centre Seal Pillow Pack

Centre Seal Gusset Pack

- Stainless Steel
- Quick release knife, no tools required
- Photo cell for printed films
- Motorised unwind frame
- Motorised vertical sealer
- Servo drive belts
- User friendly touchscreen

Bag Type	Pillow or Gusseted		
Max Speed	80 Bags per minute		
Bag Width	75mm - 290mm		
Bag Length	80mm - 340mm		
Reel Width	150mm - 600mm		
Max Reel Diameter	400mm		
Power Supply	3PNE 16 AMP		
Air Consumption	300 / 10.6 Lts per min / CFM		
Power Consumption	5.0 kw		
Net Weight (Kg)	700		
Size (H) x (W) x (L)	1650 x 1350 x 1980		
Max film width	600mm		












- As per MX 600 Pillow PackEasy adjustable qual seal bars
- Motorised unwind

# **MX 600 QUAD PACK**

Produces quality quad or pillow packs or square bottom gusseted bags



**Centre Seal Pillow Pack** 



**Centre Seal Gusset Pack** 



**Four Side Seal Pack** 



**Four Side Seal** + Centre Seal

Bag Type	Quad, Pillow or Gusseted		
Max Speed	60 Bags per minute		
Bag Width	70mm - 280mm		
Bag Length	80mm - 330mm		
Reel Width	150mm - 600mm		
Max Reel Diameter	400mm		
Power Supply	3PNE 16 AMP		
Air Consumption	216 / 7.7 Lts per min / CFM		
Power Consumption	7.4 kw		
Net Weight (Kg)	800		
Size (H) x (W) x (L)	2080 x 1350 x 2120		
Max film width	600mm		











# **SX 600 DOY STYLE**

Produces high quality doy style stand up pouches



**Doy Pouch** 

- As per MX 600 Pillow Pack
- Can produce packs with resealable flap + tape

Bag Type	Stand up Pouch	
Max Speed	60 Bags per minute	
Bag Width	70mm - 180mm	
Bag Length	100mm - 280mm	
Reel Width	150mm - 500mm	
Max Reel Diameter	400mm	
Power Supply	3PNE 16 AMP	
Air Consumption	150 / 5.3 Lts per min / CFM	
Power Consumption	7.4 kw	
Net Weight (Kg)	750	
Size (H) x (W) x (L)	2080 x 1350 x 2120	
Max film width	600mm	











# **M05CV HIGH SPEED**

Economic High Speed Production Produces High Quality Pillow Pouches



Centre Seal Pillow Pack

- As per MX 600 Pillow Pack
- Rotary Jaw movement for high speed
- Continuous belt vertical seal
- Will take standard pillow pack forming sets
- Speed Range 80 packs 120 packs

Bag Type	Pillow or Gusseted	
Max Speed	120 Bags per minute	
Bag Width	65mm - 280mm	
Bag Length	80mm - 400mm	
Reel Width	150mm - 600mm	
Max Reel Diameter	400mm	
Power Supply	3PNE 16 AMP	
Air Consumption	33 / 1.2 Lts per min / CFM	
Power Consumption	7.4 kw	
Net Weight (Kg)	880	
Size (H) x (W) x (L)	1810 x 1450 x 2150	
Max film width	600mm	









# **M05CRS-P BRICK PACK**

Produces High Quality Block Bottom brick Packs



Block Bottom Brick Pack

Bag Type	Gusseted		
Max Speed	35 Bags per minute		
Bag Width	Max 380mm		
Bag Length	Max 650mm		
Reel Width	Max 800mm		
Max Reel Diameter	400mm		
Power Supply	3PNE 16 AMP		
Air Consumption	150 / 5.3m Lts per min / CFM		
Power Consumption	13.1 kw		
Net Weight (Kg)	1950kg		
Size (H) x (W) x (L)	2900 x 2410 x 6350		











- Film width upto 1000mm
- Heavy duty horizontal and vertical seals

# MX800/1000/1200 SERIES

Robust design suitable for larger bulk packing applications: 5kg, 10kg, 20kg



Centre Seal Pillow Pack



Centre Seal Gusset Pack (OPTIONAL)



Centre Seal Gusset D CUT



Four Side Seal (OPTIONAL)

	MX800	MX1000	MX1200
Bag Type	Pillow or Gusseted	Pillow or Gusseted	Pillow or Gusseted
Max Speed	50 Bags per minute	40 Bags per minute	30 Bags per minute
Bag Width	Max 380mm	Max 480mm	Max 580mm
Bag Length	Max 650mm	Max 650mm	Max 650mm
Reel Width	Max 800mm	Max 1000mm	Max 1200mm
Max Reel Diameter	400mm	400mm	400mm
Max Film Width	800mm	1000mm	1200mm
Power Supply	3PNE 16 AMP	3PNE 16 AMP	3PNE 16 AMP
Air Consumption	216 / 7.7 Lts per min /CFM	216 / 7.7 Lts per min /CFM	216 / 7.7 Lts per min /CFM
Power Consumption	6kw	10kw	10kw
Net Weight (kg)	1000kg	1250kg	1350kg
Size (H) x (W) x (L)	2210 x 1550 x 2135	2460 x 1750 x 2420	2950 x 1950 x 2420









Target Packaging System Ltm. are specialist suppliers of complete turnkey packaging lines for Vertical Form Fill Seal Applications.

Our Martini Range can be integrated into your production line along with our wide variety of weighing and filling rquipment.

- Optional ExtrasServo or Pneumatic Horizontal Seal Jaws
- Thermal Transfer Printer
- Label Applicator
- Twin Reel Film Mandrel for Quick Film Change
- Horizontal Jaw with Euroslot
- Picture Card Insertions
- Square Botton Device
- Static Eliminator
- Stainless Steel (washable version)
- Impulse Seal Jaws



Direct Servo Film Drive



Easy Change Forming Set



Built in Film Splice Included in Unwind Frame



Unwind Frame designed to accept Printer





Precision Laser Cut Panels



Adjustable Bag Deflators









**MARTINI VFFS** Range



Target Packaging a subsidiary of the Clifton Group of companies. A specialist supplier of food processing and packaging machinery. We serve our clients from small, low-cost manufacturing to high volume packaging lines. We can supply packaging machines to handle sweets, nuts, chocolates, cereals, pulses, liquids, powders and much more. We provide our clients with a one-stop shop for all their packaging requirements along with the best possible service.













TARGET PACKAGING SYSTEM LTD Meridian Business Park, Centurion Way, Leicester, LE19 1WH Tel: 0116 289 3355 Fax: 0116 289 1113 email: info@targetpackaging.com www.targetpackaging.com





