











































The Europack range is an intermittent rotary fill & seal machine designed to handle pre-made pouches. It is suitable for various applications such as powdered, granular, liquid and solid products.

- R6-320
- R8-235
- R8-285
- R8-320
- R10-235
- R8D-110 (Duplex)
- R8D-135 (Duplex)
- R8D-165 (Duplex)
- R8D-220 (Duplex)
- R8Q-110 (Quadro)
- R8Q-135 (Quadro)









#### **EUROPACK R**

## Standard and optional features available:

- PLC control with touch screen operation
- Long durability welded steel frame
- Washdown structure (IP65)
- Easy access rotational touch screen
- Production parameter memory incl. gripper size, machine speed, sealing temperature, filling volume.
- Pouch presence detection no filling, no sealing
- De-aeration with wire guide or push bars
- Steam/gas flush
- Automatic deoxidizer feeding station
- Product filling can be integrated with weighing scales/cup conveyor
- Two step sealing process guarantees clean sealing, cooling station for liquid product
- Encoder controlled inkjet printer for accurate printing position at high speed

EUROPACK R	R6-320	R8-235	R8-285	R8-320	R10-235
Max Speed Per Minute(Idel Cycle)	55	60	55	50	45
Bag Gripping Range(mm)	160-320	90-235	145-285	160-320	30-235
Max Bag Length(mm)	420	320	420	420	320
Electrial Requirments	220 - 430V, 3 - Phase, 50 / 60 Hz				
Compressed Air	600L / min @ 6 bar				

Solid in the sauce product examples:	Filling option	Product conveying option	
Vegetables – sauce	Volumetric filler	Spring conveyor (Powder)	
Chicken – broth	Auger filler	Bucket conveyor	
Olive – brine	Piston pump	Vibrating feeder	
Fish – brine/sauce	Mono pump	Vacuum loader	
Fruit – brine	Multi-head weighing	Screw conveyor	
Pet food	Linear weighing		
Ready to eat food	Cup conveyor		
Military food			









#### **EUROPACK R DUPLEX**

Standard and optional features available:

- PLC control with touch screen operation
- Long durability welded steel frame
- Washdown structure (IP65)
- Easy access rotational touch screen
- Production parameter memory incl. gripper size, machine speed, sealing temperature, filling volume.
- Pouch presence detection no filling, no sealing
- De-aeration with wire guide or push bars
- Steam/gas flush
- Automatic deoxidizer feeding station
- Product filling can be integrated with weighing scales/cup conveyor
- Two step sealing process guarantees clean sealing, cooling station for liquid product
- Encoder controlled inkjet printer for accurate printing position at high speed

EUROPACK R DUPLEX	R8D-110	R8D-135	R8D-165	R8D-220
Max Speed Per Minute(Idel Cycle)	120	120	100	100
Bag Gripping Range(mm)	<i>75</i> -110	90-135	90-165	100-200
Max Bag Length(mm)	320	320	320	320
Electrial Requirments	220 - 430V, 3 - Phase, 50 / 60 Hz			
Compressed Air	600L / min @ 6 bar			

Solid in the sauce product examples:	Filling option	Product conveying option	
Vegetables – sauce	Volumetric filler	Spring conveyor (Powder)	
Chicken – broth	Auger filler	Bucket conveyor	
Olive – brine	Piston pump	Vibrating feeder	
Fish – brine/sauce	Mono pump	Vacuum loader	
Fruit – brine	Multi-head weighing	Screw conveyor	
Pet food	Linear weighing		
Ready to eat food	Cup conveyor		
Military food			









#### **EUROPACK R QUADRO**

Standard and optional features available:

- PLC control with touch screen operation
- Two rotary tables on a single platform for high speed operation up to 180 bags // minute
- Long durability welded steel frame
- Washdown structure (IP65)
- · Compact design with small footprint
- Easy access rotational touch screen
- Production parameter memory incl. gripper size, machine speed, sealing temperature, filling volume
- Pouch presence detection no filling, no sealing
- De-aeration with wire guide or push bars
- Steam/gas flush
- Automatic deoxidizer feeding station
- Product filling can be integrated with weighing scales/cup conveyor
- Two step sealing process guarantees clean sealing, cooling station for liquid product
- Encoder controlled inkjet printer for accurate printing position at high speed
- Mechanical zipper opener
- Available to accommodate 2 different products at the same time

EUROPACK R QUADRO	R8Q-110	R8Q-135	
Max Speed Per Minute(Idel Cycle)	120	120	
Bag Gripping Range (mm)	<i>75</i> -110	90-135	
Max Bag Length(mm)	320	320	
Electrial Requirments	220 - 430V, 3 - Phase, 50 / 60 Hz		
Compressed Air	600L / min @ 6 bar		

Solid in the Sauce product examples:	Common option / Machine option	Filling option	<b>Product Conveying option</b>
Vegetables - Sauce	Fully interlocked safety guards	Volumetric Filler	Spring Conveyor(Powder)
Powder	Jacketed hopper for hot fill	Auger Filler	Bucket Conveyor
Granule	Zipper opening device	Piston pump	Vibrating Feeder
Fresh Fruit / Vegetables	Gas(N2/C02)Flush and Steam flush	Mono pump	Vacuum Loader
IQF(Individully quick frozen)	CIP (Clean in Place)	Multi-head Weighing	Screw Conveyor
Cereal / Nuts / Snacks	Dust suction nozzles and dust collector	Linear Weighing	
Candy	Product Settler	Cup Conveyor	
Pasta / Beans / Rice	Ethernet Connectivity		
Meat / Poultry / Fish	Washdown Structure(IP65) with		
Sauce / Solid mix	linear Drainage (Trench Drains)		
Liquid detergent, softener, cooking oil	Data coding: emboss, hot stamp,		
Pet Foods / Snacks	inkject, thermal transfer		
Hardware / Non-food Products	Quality checking: check weigher, metal		
Facial mask pack	detector,X-ray inspector, Vision inspection		
Strips/Sachets/Stick Packs into a Pouch			










Complete Turnkey Solutions

## Snack Pellet Manufacture & Frying Line

### **Snack Pellet Manufacturing Technology**



# Popcorn Production, Flavouring & Packing Line



Complete Popcorn Line Including popping from kernels, flavouring and packaging line.











Target Packaging a subsidiary of the Clifton Group of companies. A specialist supplier of food processing and packaging machinery. We serve our clients from small, low-cost manufacturing to high volume packaging lines. We can supply packaging machines to handle sweets, nuts, chocolates, cereals, pulses, liquids, powders and much more. We provide our clients with a one-stop shop for all their packaging requirements along with the best possible service.













TARGET PACKAGING SYSTEM LTD Meridian Business Park, Centurion Way, Leicester, LE19 1WH Tel: 0116 289 3355 Fax: 0116 289 1113 email: info@targetpackaging.com

www.targetpackaging.com







**EUROPACK** Range